HMIS® III NFPA®

Health 1

Fire 1

Physical Hazard 0

Personal Protection B

Seco Lube™ 800 Rev Date: 07/10/15

SAFETY DATA SHEET

SECTION 1. COMPANY IDENTIFICATION AND CHEMICAL PRODUCT

Company Name: Lawrence Factor, Inc.

Address: 4790 NW 157 Street, Miami Lakes, FL 33014

Phone / Fax: 305-430-0550 / 305-430-0864

Chemical Name: Synthetic Tri-Ester

Trade Name: Seco Lube™ 800 – Tri-Ester Blend 800, Synthetic Triester

Product Use: Seco Lube™ 800 – Tri-Ester Compressor Fluid offers exceptional wear protection and carbon control. With

great self-cooling properties and very high flash and fire points, it is ideal for compressors in high-

temperature, hot-running areas and extreme conditions.

SECTION 2. HAZARDS IDENTIFICATION Main Hazards: No significant hazard.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Identity: Synthetic Tri-Ester

CAS No.:

General This product is Non-Hazardous. This product contains no known carcinogens. No special warning labels

are required under OSHA 29 CFR 1910.1200

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash affected areas thoroughly with soap and water. Wash contaminated clothing before reuse.

Eye Contact: Flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek physician assessment if

eves are inflamed.

Ingestion: Do not induce vomiting. Fluid has laxative effect.

Inhalation: Avoid breathing oil mists. Remove to fresh air. Give artificial respiration if not breathing. Oxygen may be

given by qualified personnel if breathing is difficult. Get medical attention.

SECTION 5. FIRE AND EXPLOSION DATA

Flashpoint......585° F Auto Ignition Point......815° F

Fire & Explosion HazardLow Fire Hazard – Do not cut, drill, or weld empty containers.

Extinguishing Media......Small Fires: carbon dioxide (CO2) dry chemical, foam, or water spray.

Fire Fighting Procedures: Contain liquid, cover with extinguishing agent, use water spray to cool fire exposed containers & as protective screen. Do not point solid water stream directly into burning fluid to

avoid spreading.

Protective Equipment: Fire fighting personnel should wear full protective equipment, including self

contained breathing apparatus for all inside fires and larger outdoor fires.

LFI110R1F4 Page | 1 of 4



HMIS® III NFPA®

Health 1
Fire 1
Physical Hazard 0
Personal Protection B

Seco Lube™ 800 Rev Date: 07/10/15

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Ensure adequate ventilation of the working area.

Environmental

Precautions: Do not allow product to enter drains. Prevent further spillage if safe.

Cleanup Method: Absorb with inert, absorbent material. Transfer to suitable, labeled containers for disposal. Clean spillage

area thoroughly with plenty of water.

Waste Disposal: Dispose in approved, secure landfill site or through a licensed waste reclaimer.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual

Handling considerations when handling, carrying, and dispensing.

Storage: Keep in a cool, dry, well ventilated area, keep containers tightly closed, and store in correctly labeled

container at 40° C.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures: Ensure adequate ventilation of the working area.

Occupational Exposure

Controls: Keep away from food, drink and animal feed.

Eye Protection: Normally none required, chemical goggles if splashing is likely or high pressure systems are used.

Skin Protection: Normally none required, for direct contact of more than 2 hours, Viton or Nitrile gloves are recommended

otherwise PVC may be worn.

Respiratory Protection: Normally not necessary. If mist is generated, wear approved organic vapor respirator suitable for oil mist

areas with sufficient oxygen.

Ventilation: General ventilation.

Exposure Limits: Acute LD-50 (rat, oral): > mg/kg: <u>Practically non-toxic.</u>

Protective Equipment: Protect clothing from contact with the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionClear liquid

Color.....Slight yellow to light brown tint.

Odor None

Specific Gravity...... 0.79 – 0.95

Evaporation Rate.....Nil

LFI110R1F4 Page | 2 of 4

HMIS® III



Seco Lube™ 800 Rev Date: 07/10/15

Viscosity Index	83
Viscosity cSt @40° C	122
Viscosity cSt @100° C	11.9

SECTION 10. STABILITY AND REACTIVITY DATA

Stability: This product is stable under the specified conditions of storage, shipment and use.

Decomposition

Analogous compounds evolve carbon monoxide, carbon dioxide, and other undefined fragments when

Products: burned.

Incompatibility: Strong oxidizing agents.

Hazardous

Polymerization: Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Acute LD-50 (rat: oral): > 5000 mg/kg: Practically non-toxic. Negative when tested by modified Ames test

for carcinogenicity.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: No data is available on this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal: Used product must be disposed of in accordance with Federal, State, and Local environmental control

regulations. DO NOT HEAT OR CUT EMPTY CONTAINER WITH ELECTRIC OR GAS TORCH.

SECTION 14. TRANSPORT INFORMATION

Technical Name..Synthetic Tri-Ester Blend

D.O.T. Hazard ClassNot Regulated U.N./N.A. Number.....Not Regulated

Product Label Seco Lube™ – Tri-Ester Blend 800, Synthetic Triester

SECTION 15. REGULATORY INFORMATION

Risk Phrases...... NSH — No significant hazard.

OSHA Hazard..... Non hazardous under 29 CFR 1910.1200

TSCA Status Not Applicable

RCRA Status: If discarded in its purchased form, this product would not be a hazardous waste either by listing or characteristic. However, it is the responsibility of the product user to determine at the time of disposal, whether the material being disposed of is a hazardous waste. (40 CFR 261.20-24)

Other Classifications:

The classification was made according to the latest editions of international substances lists and expanded upon from company and literature data.

HMIS® (USA)	NFPA® (USA)
Health Hazard 1	Health1
Fire Hazard1	Flammability 1
Reactivity0	Reactivity0
Personal ProtectionB	

Personal Protection: Safety glasses, and gloves.

LFI110R1F4 Page | 3 of 4

HMIS® III NFPA®



Seco Lube™ 800 Rev Date: 07/10/15

HMIS® and NFPA® ratings involve data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS must be considered.

- The information and recommendations set forth herein are believed to be accurate as of the date hereof. We make no warranty with respect thereto and disclaim all liability from reliance thereon.
- Container labeling-uses Hazardous Materials Identification System (HMIS®). Hazardous Index under this system rates degree of hazard from 0 to 4 in each category:
 - 0 = minimal hazard
 - 1 = slight hazard
 - 2 = moderate hazard
 - 3 = serious hazard

SECTION 16. OTHER INFORMATION

Product emergencies:

If you have a product-related emergency, resulting in an accident such as a spill or release of product or human exposure and need assistance from Lawrence Factor, please contact the following number: **LAWRENCE FACTOR, INC. 1-800-338-5493**

General:

The data and recommendations presented in this data sheet concerning the use of our product and the materials contained therein are believed to be accurate and are based on information which is considered reliable as of the date hereof. However, the customer should determine the suitability of such materials for his purpose before adopting them on a commercial scale. Since the use of our products by others is beyond our control, no guarantee, express or implied, is made and no responsibility assumed for the use of this material or the results to be obtained there from. Information on this form is furnished for the purpose of compliance with Government Health and Safety Regulations and shall not be used for any other purposes. Moreover, the recommendations contained in this data sheet are not to be construed as a license to operate under, or a recommendation to infringe, any existing patents, nor should they be confused with state, municipal or insurance requirements, or with national safety codes.

This information is furnished without warranty expressed or implied, except that it is accurate to the best knowledge of Lawrence Factor, Inc. The data on this sheet related only to the specific material designed herein. Lawrence Factor, Inc. assumes no legal responsibility for the use or reliance upon these data.

LFI110R1F4 Page | 4 of 4